

**PRODUCT CATALOG EDITION 5.1** 





#### **OUR STORY**

We've grown far beyond what started in the 1970's as a task force to revolutionize protective equipment. Today, we protect you for life's best moments.

Our disruptive innovation paired with our inherited knowledge of heavy industries has transformed the quality of lives and businesses. Our charitable initiatives raise over \$150,000 annually to help ensure no family is left behind. The Green Forces is now the fastest-growing elite industrial community in the world.

Enter the RPB® armory, the world's most advanced front-line armor for industry professionals consisting of supplied and powered air respirators, air monitoring, filtration and safety essentials, designed to advance your safety and increase your productivity.

As we embark on a new frontier in industry, join us in helping build a better future for the new generation of elite operators and enterprises.



## LOBAL NETWORK

RPB® has a global network of distributors serviced from our Michigan Head Office and satellite offices in New Zealand and the United Kingdom.

Contact us on **(866) 494-4599** (USA), **+1 (248) 591 4000** (International) or visit rpbsafety.com/find-your-distributor/ to find your nearest distributor.

Copyright ©2019 RPB Safety, LLC. All rights reserved.

All materials contained in this publication are protected by United States copyright law and may not be reproduced, distributed, transmitted, displayed, published or broadcast without the prior written permission of RPB Safety, LLC. You may not alter or remove any trademark, copyright or other notice from copies of the content.

All trademarks, service marks, and logos used in this publication, both registered and unregistered, are the Activatements, service marks, and ugges used in this pouncation, out registered and uniquenesseled, are the trademarks, service marks, or logos of their respective owners. The green and gray color combination is a registered trademark of RPB Safety, LLC. All rights in the RPB Intellectual Property contained in this publication, including copyright, trademarks, service marks, trade secret, and patent rights are reserved. RPB Intellectual Property means any patent, service marks, trade secret, and patent fights are reserved. Property means any patent, patented articles, patent applications, designs, industrial designs, copyrights, software, source code, database rights, moral rights, inventions, techniques, technical data, trade secrets, know-how, brands, trademarks, trade names, slogans, logos, and any other common law and proprietary rights, whether registered or unregistered anywhere in the world, that are owned by, developed in whole or in part by, or licensed by RPB Safety, LLC.

Tychem® and Nomex® are registered trademarks of E.I. du Pont de Nemours and Company or its affiliates. While the Information contained within this catalog is considered to be true and correct at the date of publication, changes in circumstances after the time of publication may impact on the accuracy of the Information. The Information may change without notice and RPB Safety LLC is not in any way liable for the accuracy of any information printed and stored or in any way interpreted and used by a user.







#### **RESPIRATORS**

- 6 Z-Link®
- 24 Link Accessories
- **32** Z4®
- **44** Z3<sup>™</sup> Welder
- **54** Z100<sup>™</sup> Series
- **62** Nova 3®
- 74 Nova 3® Talk™
- **80** L4<sup>™</sup> Light
- 88 Nova 2000®
- 98 Nova 2000® Talk™
- **104** Nova 1®
- **116** Nova 1® Talk™
- **122** Astro™
- **132** T-Link®
- **144** T100™ Series
- **152** T150<sup>™</sup> Series

#### AIR MONITORING FILTRATION AND SUPPLY

- **162** PX4 Air® PAPR
- 172 GX4® Gas Monitor
- 182 Radex® Airline Filter
- **196** Radex® Ambient Air Pump
- 198 Air Supply
- **202** C40™ Climate Control Device
- 210 Flow Control

#### **SAFETY ESSENTIALS**

- 222 Blast Suit
- 228 Safety Glasses
- **229** Do-rag 229 Earmuffs
- 229 Head Sock
- 229 Knee Pads
- **229** Leather Blasting Gloves
- **229** S100™ Ear Plugs

#### **PARTS INDEX**

232 Full Parts Index





## **Z-LINK®**



## **ELITE MULTI-PURPOSE RESPIRATORY PROTECTION**

The RPB® Z-Link® is more than a product. It's a system. The most versatile multi-purpose respirator on the planet. From welding and grinding to chemical handling, the Z-Link® serves the widest spectrum of industries and applications on the market.

The Z-Link®'s large visor enables you to operate with a widened perspective. It features exceptional downward and peripheral vision combined with a visor that hinges open for free air breathing and easy communication. Engineered to advance your safety. Designed to increase your productivity.

Inspired by military innovation, our R&D Special Ops Unit has relentlessly refined every last detail. The team has traveled the world to meet with and listen to operators. Ultimately, these refinements have enabled RPB® users to work smarter, not harder. Save crucial energy, time and costs in competitive industry environments, where elite protective equipment is often overlooked.

The Z-Link® is certified to the standards below and conforms to AS/NZS 1716:2012, AS/NZS 1337.1:2010, AS/NZS 1801:1997.



AS/NZS CONFORMS TO AS/NZS 1716:2012

RESPIRATORY PROTECTION

**ANSI Z89.1** EN397:2003 +A1:2009 AS/NZS 1801:1997

> HARD HAT **PROTECTION**

**ANSI Z87+** 

EN166:2001 AS/NZS 1337.1:2010

HIGH VELOCITY IMPACT

FOR EYE & FACE

#### SUPERIOR COMFORT

The first padded multi-purpose respirator on the planet. A fully-adjustable Comfort-Link™ Fit System allowing for total control on helmet and head placement including the 360-degree adjustable head band and reversible brow pad.





## **Z-LINK+®**



## ELITE MULTI-PURPOSE RESPIRATORY PROTECTION

The RPB® Z-Link+® is the result of extensive user testing in demanding welding environments. Elite welding professionals benefit from reduced downtime and fatigue and increased productivity.

As the Z-Link+® clips directly onto your main visor, you can seamlessly weld with crystal-clear vision and the ability to lift up your visor to check welds and instantly begin grinding.

The Z-Link+® includes the large RPB® ADF lens with the 1.1.1.1. rating in optical quality. The all-important fourth "1", advanced angular dependence control, guarantees uniform shading and distortion-free vision, allowing you to work comfortably and effortlessly for hours across different angles.

In addition to the Z-Link® certifications, the Z-Link+® is certified to the standards below.

## ANSI Z87W

EN379:2003 +A1:2009 EN175:1997 AS/NZS 1338.1:2012

WELDING EYE PROTECTION



#### REMOVABLE WELDING VISOR

The Z-Link+® clips directly onto your main visor, enabling you to lift up your visor to check welds and to instantly begin grinding. For extended periods of grinding the visor is easily removed at the hinge points.



1-866-494-4599 | rpbsafety.com





Z-LINK®
C40™ Climate Control Device
Supplied Air Breathing Tube (for Z-Link®)
Tychem® 2000 Face Seal
Part # 16-015-12



For more package options please visit **rpbsafety.com/zlink** Other packages include:





## **Z-LINK® PACKAGES**

Z-LINK®



For more package options please visit rpbsafety.com/zlink Other packages include:



## **Z-LINK® ADF LENS**

#### **OPEN STATE**

#### **RPB® OCV COLOR DEFINITION**

The OCV Filter range offers superior color definition in both the open and activated state, allowing the operator to clearly see LED displays on machines and equipment, as well as heat definition on the actual weld.





#### **CLOSED STATE**

#### **RPB® OCV OPTICAL QUALITY**

The OCV filter boasts a 1/1/1/1 optical quality rating which is the world's best. This means a clear view from a wider range of angles, reducing eye faligue and increasing your productivity.






RESPIRATORS | 더 **Z-LINK®** 

#### 40% MORE VIEWING WITH THE RPB® OCV ULTRA ADF (110X110)

- Viewing Area: 10.1 square inches (3.78" x 2.68") Light state: Shade 4. Dark state: Selectable shades 9-13
- Fast, reliable switching speed: 0.15ms at 73°F / 23°C
- Adjustable delay from dark to light (0.2 to 0.8 seconds)
- Weight (ADF only): 5.64 oz / 160g. Temperature range: 14°F to 140°F / -10°C to +60°C
- 3 year warranty
- 2 Sensors: it is the quality not the quantity of sensors that provide the fast reaction time of the filter
- Sensitivity and delay adjustment on case
- Highest quality wide view ADF available
- Constant UV/IR protection
- Accommodates standard 4" x 5" front cover lens
- Adapts to standard magnifying lens
- Solar powered

- Best optical quality in industry 1/1/1/1 DIN Rating
- Suitable for all types of electro-arc welding, including covered electrodes, MIG/MAG, TIG/WIG, plasma welding and cutting. NOT FOR LASER OR GAS WELDING.







Z-LINK®--PARTS (@) RESPIRATORS









## **Z-LINK® PARTS**





























Welding Impact Lens (pk 10)



RESPIRATORS | \( \text{N} \) Z-LINK® - PARTS



Weld Visor Attachment Clips Part # 16-673

Welding Visor (includes 16-672, 16-673, 16-674) Part # 16-671







Part # 16-670















# **LINK ACCESSORIES**

ADVANCED ACCESSORIES FOR YOUR Z4°, T-LINK° & Z-LINK°



Motorola Connection Cable

(multi-pin)



























## **QUIET-LINK™ PARTS**

Available for T-Link® and Z-Link®









Designed with the primary focus on user comfort, the RPB® Z4® is your premium welding/grinding respirator. The head harness and visor were carefully developed for optimum weight distribution, resulting in the most ergonomically balanced welding respirator on the market!

The Z4® comprises a crystal-clear grinding visor and a flip-up welding visor which you can lift to check welds and instantly begin grinding. Both shade 5 peripheral windows and opaque window blockers are included in the standard packages.

The Z4® is fitted with our large ADF lens boasting an optical quality rating of 1.1.1.1 with the all-important fourth "1". Advanced angular dependence control guarantees uniform shading and distortion-free vision, allowing operators to work comfortably across different angles as required.

To further increase your comfort, the Z4® can also be fitted with the Comfort-Link™ padding system.

The Z4® is certified to the standards below and conforms to AS/NZS 1716:2012, AS/NZS 1337.1:2010, AS/NZS 1338.1:2012.





AS/NZS CONFORMS TO AS/NZS 1716:2012

RESPIRATORY **PROTECTION** 

**ANSI Z87+** EN166:2001 AS/NZS 1337.1:2010

HIGH VELOCITY IMPACT

**ANSI Z87W** 

EN379:2003 +A1:2009 EN175:1997 AS/NZS 1338.1:2012

WELDING EYE

over the grinding visor to eliminate fogging and to your breathe zone via an adjustable air deflector allowing you to control the direction of the incoming air.







Z4®
PX4 Air® PAPR
PX4 Air® Breathing Tube (for Z4®)
Face Seal
Part # 15-019-11-FR



For more package options please visit **rpbsafety.com/z4** Other packages include:





## **Z4® ADF LENS**

#### OPEN STATE

**CLOSED STATE** 

#### **RPB® OCV COLOR DEFINITION**

**RPB® OCV OPTICAL QUALITY** 

increasing your productivity.

The OCV Filter range offers superior color definition in both the open and activated state, allowing the operator to clearly see LED displays on machines and equipment, as well as heat definition on the actual weld.


The OCV filter boasts a 1/1/1/1 optical quality rating which is the world's best. This means a clear view

from a wider range of angles, reducing eye faligue and











#### 40% MORE VIEWING WITH THE RPB® OCV ULTRA ADF (110X110)

- Viewing Area: 10.1 square inches (3.78" x 2.68")
  Light state: Shade 4. Dark state: Selectable shades 9-13
- Fast, reliable switching speed: 0.15ms at 73°F / 23°C
- Adjustable delay from dark to light (0.2 to 0.8 seconds)
- Weight (ADF only): 5.64 oz / 160g.

  Temperature range: 14°F to 140°F / -10°C to +60°C
- 3 year warranty
- 2 Sensors: it is the quality not the quantity of sensors that provide the fast reaction time of the filter
- Sensitivity and delay adjustment on case
- Highest quality wide view ADF available
- Constant UV/IR protection
- Accommodates standard 4" x 5" front cover lens
- Adapts to standard magnifying lens
- Solar powered
- Best optical quality in industry 1/1/1/1 DIN Rating
- Suitable for all types of electro-arc welding, including covered electrodes, MIG/MAG, TIG/WIG, plasma welding and cutting. NOT FOR LASER OR GAS WELDING.





## **Z4® PARTS**











Z4°-PARTS |4| RESPIRATORS





# **Z3**<sup>™</sup> WELDER

ULTIMATE RESPIRATORY PROTECTION & OPTICAL QUALITY



## **Z3™ WELDER**



## **ULTIMATE RESPIRATORY PROTECTION & OPTICAL QUALITY**

As the predecessor to the new, multi-purpose Z-Link+®, the RPB® Z3™ Welder combines respiratory protection with breakthrough optical technology.

Proven to deliver welding professionals with a comfortable working environment, the Z3™ Welder exceeds the demands of the most quality-conscious companies, while surpassing the most rigorous industry standards.

Advance your workplace safety with a product that boasts a range of truly unique design and engineering features. The Z3™ can withstand extreme temperatures without distortion due to the high performance nylon shell construction. The adjustable airflow disperser means that you can operate in a comfortable and fume-free breathing zone.

The Z3™ Welder includes the RPB® OCV filter with advanced angular dependence control providing uniform shading and distortion free vision to work comfortably across different angles. It features superior color definition in both open and activated states, allowing you to easily identify heat definition and displays on equipment.

The Z3<sup>™</sup> has been rigorously tested through conventional safety testing methods in addition to field testing. It certified to the standards below and conforms to AS/NZS 1716:2012, AS/NZS 1337.1:2010, AS/NZS 1338.1:2012.





**AS/NZS** CONFORMS TO AS/NZS 1716:2012

RESPIRATORY

**ANSI Z87+** 

EN166:2001 AS/NZS 1337.1:2010 HIGH VELOCITY IMPACT

## **ANSI Z87W**

EN379:2003 +A1:2009 EN175:1997 AS/NZS 1338.1:2012

WELDING EYE

#### ADJUSTABLE AIR FLOW

The Z3™ adjustable direction airflow provides clearer vision and less downtime.

1-866-494-4599 | rpbsafety.com









For more package options please visit **rpbsafety.com/z3-welder** Other packages include:





## **Z3™ WELDER ADF LENS**

## **OPEN STATE**

**CLOSED STATE** 

#### **RPB® OCV COLOR DEFINITION**

**RPB® OCV OPTICAL QUALITY** 

increasing your productivity.

The OCV Filter range offers superior color definition in both the open and activated state, allowing the operator to clearly see LED displays on machines and equipment, as well as heat definition on the actual weld.

The OCV filter boasts a 1/1/1/1 optical quality rating which is the world's best. This means a clear view

from a wider range of angles, reducing eye faligue and











#### 40% MORE VIEWING WITH THE RPB® OCV ULTRA ADF (110X110)

- Viewing Area: 10.1 square inches (3.78" x 2.68") Light state: Shade 4. Dark state: Selectable shades 9-13
- Fast, reliable switching speed: 0.15ms at 73°F / 23°C
- Adjustable delay from dark to light (0.2 to 0.8 seconds)
- Weight (ADF only): 5.64 oz / 160g. Temperature range: 14°F to 140°F / -10°C to +60°C
- 3 year warranty
- 2 Sensors: it is the quality not the quantity of sensors that provide the fast reaction time of the filter
- Sensitivity and delay adjustment on case
- Highest quality wide view ADF available
- Constant UV/IR protection
- Accommodates standard 4" x 5" front cover lens
- Adapts to standard magnifying lens
- Solar powered
- Best optical quality in industry 1/1/1/1 DIN Rating
- Suitable for all types of electro-arc welding, including covered electrodes, MIG/MAG, TIG/WIG, plasma welding and cutting. NOT FOR LASER OR GAS WELDING.





## **Z3™ WELDER PARTS**



















\_\_\_\_\_



RESPIRATORS | 53 Z3" WELDER-PARTS



## **Z100™ SERIES**



## LIGHTWEIGHT PROTECTION WITH SAFETY AT THE FOREFRONT

The RPB $^{\circ}$  Z100 $^{\circ}$  Series is the leading cost-effective replaceable and disposable armor on the market.

The Z100™ is manufactured from RPB® Zytec® Fabric. It is a lightweight hood that offers superior comfort in comparison with conventional, tight, full-face respirators. The hood protects the operator's entire head, eliminating the need for a head sock.

Used throughout a variety of industries from grinding to brazing, the  $Z100^{\text{m}}$  is equally lightweight as it is economical. Without incurring significant additional expenses, operators benefit from the  $Z100^{\text{m}}$ 's advanced safety and superior quality while increasing productivity.

Additionally, users with facial hair commonly convert to this loose-fitting respirator, without jeopardizing or compromising on protection.



ANSI Z89.1 EN397:2003 +A1:2009 AS/NZS 1801:1997

HARD HAT PROTECTION

#### **SAVE TIME & MONEY**

With the loose-fitting Z100™ Respirator, there is no need for time consuming fit testing, saving you time and money while maintaining OSHA compliance.

1-866-494-4599 | rpbsafety.com







For more package options please visit **rpbsafety.com/z100-series** Other packages include:















## **NOVA 3®**



# THE WORLD'S MOST ADVANCED HEAVY INDUSTRY RESPIRATOR

The verdict is in: the RPB® Nova 3® respirator has been heralded as the industry's definitive benchmark in abrasive blasting.

With breakthrough protection technology and previously unseen advanced comfort and functionality features, the Nova 3® is designed to advance safety and productivity.

For over 40 years, users have been choosing RPB® respirators as the most comfortable across a number of industries. Operators claim the Nova 3® is the lightest and most comfortable heavy industry respirator they've ever used. It's unique weight distribution design distributes the helmet's weight evenly across the head and shoulders for optimum comfort and movability.

A ratchet adjustable neck pad ensures appropriate head support. The molded inner 'Clever Fit Padding' design (patent pending) helps absorb sound, protect hearing and is fully adjustable. It allows for unique customization to correctly fit all users and is easily removable and washable.

Although many claim safety is paramount, we walk the talk. The Nova 3® has been rigorously tested in both controlled and field testing environments - the results speak for themselves. It is certified to the standards below and conforms to AS/NZS 1716:2012, AS/NZS 1337.1:2010, AS/NZS 1801:1997.



AS/NZS
CONFORMS TO
AS/NZS 1716:2012

RESPIRATORY PROTECTION

**ANSI Z89.1** 

EN397:2003 +A1:2009 AS/NZS 1801:1997

HARD HAT PROTECTION

ANSI Z87+

EN166:2001 AS/NZS 1337.1:2010

HIGH VELOCITY IMPACT

### BOOST PRODUCTIVITY

RPB®'s NV3-745 cassette lens is a unique system of one outer lens fused with five tear-off lenses which have pre-folded tabs.

1-866-494-4599 | rpbsafety.com





NOVA 3® Breathing Tube (for Nova 3®) C40™ Climate Control Device Nylon Respirator Cape Part # NV3-705-50



For more package options please visit **rpbsafety.com/nova-3** Other packages include:









## **NOVA 3® PARTS**





























## **NOVA 3® TALK™**

## **NOVA 3® TALK™ PARTS**





#### **ADVANCED IN-HELMET COMMUNICATION SYSTEM**

Communicate effortlessly and safely with your fellow blasters, pot tenders and team members, without having to stop what you're doing.

The undisputed champion of industrial team radio, the RPB® Nova 3® Talk™ has transformed the productivity, communication and safety of operators and businesses worldwide. The Nova 3® Talk™ is a wireless communication system, ideal for users in remote locations such as crews in tanks, shippards, water towers and any area that is difficult to access. The Nova 3® Talk™ offers users features that include push to talk simplicity, a noise-canceling microphone, pillow foam padding, multiple harness options and much more.







## **NOVA 3® TALK™ PARTS**

Motorola Connection Cable (two-pin)

Part # 09-930

Motorola Connection Cable (multi-pin)

Part # 09-931



Kenwood Connection Cable (two-pin)

Part # 09-933

78



Motorola Connection Cable (multi-pin)





### **NOVA 3® TALK™ SPECIFICATIONS**

#### MOTOROLA TWO-PIN RADIO MODELS

AXU4100, AXV5100, BPR40, CLS1110, CLS1410, CLS1413, CLS1450C, CLS1453C, CP100, CP150, CP185, CP200, CP88, CT125, CT150, CT250, CT450, CT450LS, DTR, DTR410, DTR550, DTR650, GP200, GP2000, GP300, GP308, GP68, GP88, GTI, GTX, LTS2000, P040, P080, P110, P1225, P1225LS, P200, P2000, PR400, RDK, RDU, RDU2020, RDU2080D, RDU4100, RDU4160D, RDV, RDV2020, RDV2080D, RDV5100, SP10, SP21, SP50, VL50, XTN, XTN446, XTN500, XTN600, XU1100, XU2100, XU2600, XV1100, XV2100, XV2600.

PART # 09-930



#### MOTOROLA MULTI-PIN RADIO MODELS

CBPRO, GP1280, GP140, GP320, GP328, GP329, GP338, GP339, GP340, GP360, GP380, GP640, GP650, GP680, GP960, HT1250, HT1250LS, HT1550, HT1550XLS, HT750, JT1000, MTX8250, MTX8250LS, MTX850, MTX850LS, MTX9250, MTX950, PR860, PR05150, PR05350, PR05450, PR05550, PR07150, PR07350, PR07450, PR07550, PR07750, PR09150, PTX700, PTX760, PTX780.

PART # 09-931



Turbo, APX 7000, XPR6300, XPR6500, XPR6550, APX7500.

Part # 09-932



GP900, GP9000, HT1000, MT1500, MT2000, MTS2000, MTX8000, MTX838, MTX900, MTX9000, MTX960, MTXLS, PRI500, X1500, XTS1500, XTS2000, XTS2500, XTS3000, XTS3500, XTS5000, GP1200.

Part # 09-934



#### KENWOOD TWO-PIN RADIO MODELS

TH-22AT, TH-235A, TH-28A, TH-42AT, TH-48A, TH-77A, TH-78A, TH-D7A(G), TH-F6, TH-6A,TH-G71A, TH-K2AT, TK-2100, TK-2102,TK-2130, TK-2160, TK-2170, TK-220, TK-2000,TK-2200LP, TK-2212L, TK-230VK, TK-240, TK-240D, TK-248, TK-250, TK-260, TK-260D,TK-260G, TK-270, TK-270G, TK-272G, TK-308, TK-3100, TK-3101, TK-3102, TK-3130, TK-3131, TK-3160, TK-3170, TK-3173, TK-320, TK-3200, TK-3200LP, TK-3212L, TK-3230, TK-3230XLS, TK-3302UK, TK-340, TK-340D, TK-348, TK-350, TK-353, TK-360, TK-360G, TK-370, TK-370G, TK-372G, TK-373, TK-430, TK-431, TK-2312, TK-3312.

Part # 09-933

\_\_\_\_\_\_\_



**NOTE:** If the radio you are looking for is not in the above list, contact us
Toll Free on 1-866-494-4599 as there is a chance we may be able to find a cable to suit.





## **L4**<sup>™</sup> **LIGHT**




#### **ADVANCED HELMET LIGHTING SYSTEM**

Blasting in the dark can be awkward and dangerous. The RPB® L4™ Light, minimizes workplace safety hazards, reduces downtime and ensures that you have sufficient light.

The RPB® L4™ Light provides a steady, highly concentrated output of light to your field of vision. Its high-powered LEDs produce up to 650 lumens of concentrated light output with a compact, lightweight battery pack that mounts comfortably and securely on your belt.

The L4™ Light features a low-profile design, enhancing operator control with minimum protrusion and mounts securely to the top of the RPB® Nova 3® Respirator, providing light wherever the operator looks, eliminating the safety risks and inefficiencies associated with outdated nozzle lights.

Although applications have expanded since launch, it was originally developed to overcome the global need for light to assist blasters in tanks and other confined spaces where light is scarce.



Long lasting Li-ion battery lasts up to 4 hours on a single charge. Batteries recharge in 3-4 hours. The lightweight battery pack mounts on your belt.



ISO9001 Manufactured with durable, long-lasting materials. RESPIRATORS  $| \, {\mathbb G} \, | \,$  L4" Light Efficient, high powered LEDs producing up to 650 lumens of concentrated light output. Mounts directly to the Nova 3® with no modification required. \*From local and globally sourced components. 



L4™ LIGHT
Part # 09-502
Part # 09-502-G
(AU/NZ, EU and UK cables also available)



For more package options please visit **rpbsafety.com/l4-light** Other packages include:











## **NOVA 2000®**



#### **ADVANCED ABRASIVE BLASTING HELMET**

As the predecessor to the Nova 3°, the RPB° Nova 2000° was designed specifically for blasting, focusing on improved operator comfort to boost performance and productivity.

Featuring best-in-class hearing protection with multi-layered sound deadening foam, a streamlined air flow system and an abrasion resistant shell, the Nova 2000® meets worldwide respiratory protection standards including NIOSH, CE and AS/NZS.

Today's high safety standards in industry environments make on-site health and safety a top priority. Non-compliance or outdated equipment can likely result in unexpected costs including business disruption, injuries to valued operators and negative effects on your company's reputation. Year after year, the Nova 2000® has proven to minimize the risks to employees and businesses worldwide.

The Nova  $2000^{\circ}$  is certified to the standards below and conforms to AS/NZS 1716:2012, AS/NZS 1801:1997, AS/NZS 1337:1:2010.



AS/NZS CONFORMS TO AS/NZS 1716:2012

RESPIRATORY PROTECTION

**ANSI Z89.1** 

EN397:2003 +A1:2009 AS/NZS 1801:1997

HARD HAT PROTECTION

ANSI Z87+

EN166:2001 AS/NZS 1337.1:2010

HIGH VELOCITY IMPACT FOR EYE & FACE



#### **BOOST PRODUCTIVITY**

Contractors have reported a time saving of over 45 minutes per day per blaster by using the RPB® "Fit & Save™" tear-off lenses that have individually pre-folded tabs, meaning workers are guaranteed to tear off only one lens at a time.

1-866-494-4599 | rpbsafety.com





NOVA 2000® Breathing Tube (for Nova 2000®)
Flow Control Valve
Nylon Respirator Cape
Part # NV2000



For more package options please visit rpbsafety.com/nova-2000 Other packages include:





Window Frame Gasket









Domes (8 sets)

Part # NV2041

Velstuds (pk 6)

Part # NV2038















Side Wings (pair, for wearers with glasses) size Small Part # NV2010GSH size Medium Part # NV2010G size Large Part # NV2010GLH





Respirator Cape Part # NV2002XL

Extra Length Nylon

Leather Respirator Cape
Part # NV2002L



RESPIRATORS | G | NOVA 2000°-PARTS

Nylon Blast Jacket size XL Part # NV2002HB-XL







Inner Bib Part # NV2012





# NOVA 2000° TALK™

ADVANCED IN-HELMET COMMUNICATION SYSTEM



## **NOVA 2000® TALK™**

## **NOVA 2000® TALK™ PARTS**





#### **ADVANCED IN-HELMET COMMUNICATION SYSTEM**

Communicate effortlessly and safely with your fellow blasters, pot tenders and team members, without having to stop what you're doing.

The undisputed champion of industrial team radio, the RPB® Nova 2000® Talk™ has transformed the productivity, communication and safety of operators and businesses worldwide. The Nova 2000® Talk™ is a wireless communication system, ideal for users in remote locations such as crews in tanks, shippards, water towers or any area that is difficult to access. The Nova 2000® Talk™ offers users features that include push to talk simplicity, a noise-canceling microphone and pillow foam padding.









### NOVA 2000® TALK™ PARTS


Motorola Connection Cable (two-pin)

Part # 09-930

Motorola Connection Cable (multi-pin) Part # 09-931



Kenwood Connection Cable (two-pin)



Motorola Connection Cable (multi-pin)





### NOVA 2000® TALK™ SPECIFICATIONS

#### MOTOROLA TWO-PIN RADIO MODELS

AXU4100, AXV5100, BPR40, CLS1110, CLS1410, CLS1413, CLS1450C, CLS1453C, CP100, CP150, CP185, CP200, CP88, CT125, CT150, CT250, CT450, CT450LS, DTR, DTR410, DTR550, DTR650, GP200, GP2000, GP300, GP308, GP68, GP88, GTI, GTX, LTS2000, PO40, PO80, P110, P1225, P1225LS, P200, P2000, PR400, RDK, RDU, RDU2020, RDU2080D, RDU4100, RDU4160D, RDV, RDV2020, RDV2080D, RDV5100, SP10, SP21, SP50, VL50, XTN, XTN446, XTN500, XTN600, XU1100, XU2100, XU2600, XV1100, XV2100, XV2600.

PART # 09-930



#### MOTOROLA MULTI-PIN RADIO MODELS

CBPRO, GP1280, GP140, GP320, GP328, GP329, GP338, GP339, GP340, GP360, GP380, GP640, GP650, GP680, GP960, HT1250, HT1250LS, HT1550, HT1550XLS, HT750, JT1000, MTX8250, MTX8250LS, MTX850, MTX850LS, MTX9250, MTX950, PR860, PRO5150, PRO5350, PRO5450, PRO5550, PRO5750, PRO7150, PRO7350, PRO7450, PR07550, PR07750, PR09150, PTX700, PTX760, PTX780.

PART # 09-931



Turbo, APX 7000, XPR6300, XPR6580, XPR6500, XPR6550, APX7500.

Part # 09-932



GP900, GP9000, HT1000, MT1500, MT2000, MTS2000, MTX8000, MTX838, MTX900, MTX9000, MTX960, MTXLS, PRI500, X1500, XTS1500, XTS2000, XTS2500, XTS3000, XTS3500, XTS5000, GP1200.

Part # 09-934



#### KENWOOD TWO-PIN RADIO MODELS

TH-22AT, TH-235A, TH-28A, TH-42AT, TH-48A, TH-77A, TH-78A, TH-D7A(G), TH-F6, TH-6A,TH-G71A, TH-K2AT, TK-2100, TK-2102,TK-2130, TK-2160, TK-2170, TK-220, TK-2000,TK-2200LP, TK-2212L, TK-230VK, TK-240, TK-240D, TK-248, TK-250, TK-260, TK-260D,TK-260G, TK-270, TK-270G, TK-272G, TK-308, TK-3100, TK-3101, TK-3102, TK-3130, TK-3131, TK-3160, TK-3170, TK-3173, TK-320, TK-3200, TK-3200LP, TK-3212L, TK-3230, TK-3230XLS, TK-3302UK, TK-340, TK-340D, TK-348, TK-350, TK-353, TK-360, TK-360G, TK-370, TK-370G, TK-372G, TK-373, TK-430, TK-431, TK-2312, TK-3312.

Part # 09-933



NOTE: If the radio you are looking for is not in the above list, contact us Toll Free on 1-866-494-4599 as there is a chance we may be able to find a cable to suit.





## **NOVA 1®**



#### **SAFER, TOUGHER** & MORE COMFORTABLE

With a robust and large flat lens, the RPB® Nova 1® boasts all the same design features of the Nova 2000® that improve operator comfort and boost productivity.

Featuring best-in-class hearing protection with multi-layered sound deadening foam, a streamlined air flow system and an abrasion resistant shell, the Nova 1® meets worldwide respiratory protection standards including CE and AS/NZS.

Today's high safety standards make on-site health and safety a top priority. Non-compliance or outdated equipment can likely result in unexpected costs including business disruption, injuries to valued operators and negative effects on your company's reputation. Year after year, the Nova 1® minimizes the risks to employees and businesses worldwide.

Between the Nova 3®, Nova 2000®, Astro™ and Nova 1®, RPB® Safety has established itself consistently over decades as the definitive market leader in the abrasive blasting industry.

The Nova 1® is certified to the standards below and conforms to AS/NZS 1716:2012, AS/NZS 1801:1997, AS/NZS 1337.1:2010.

**AS/NZS** CONFORMS TO AS/NZS 1716:2012

RESPIRATORY PROTECTION


**ANSI Z89.1** EN397:2003 +A1:2009 AS/NZS 1801:1997

> HARD HAT PROTECTION

**ANSI Z87+** 

EN166:2001 AS/NZS 1337.1:2010

HIGH VELOCITY IMPACT FOR EYE & FACE



Contractors have reported a time saving of over 45 minutes per day per blaster by using the RPB® "Fit & Save™" tear-off lenses that have individually pre-folded tabs, meaning workers are guaranteed to tear off only one lens at a time.

1-866-494-4599 | rpbsafety.com





NOVA 1®

Breathing Tube (for Nova 1®)

Constant Flow Valve

Nylon Respirator Cape

Part # NV1-01-50



For more package options please visit **rpbsafety.com/nova-1** Other packages include:





## **NOVA 1® PARTS**







NOVA 1° - PARTS









PX4 Air® Breathing Tube





## **NOVA 1® PARTS**







# NOVA 1° TALK<sup>™</sup>

ADVANCED IN-HELMET COMMUNICATION SYSTEM



## **NOVA 1® TALK™**

#### **ADVANCED IN-HELMET COMMUNICATION SYSTEM**

Communicate effortlessly and safely with your fellow blasters, pot tenders and team members, without having to stop what you're doing.

The undisputed champion of industrial team radio, the RPB® Nova 1® Talk™ has transformed the productivity, communication and safety of operators and businesses worldwide. The Nova 1® Talk™ is a wireless communication system, ideal for users in remote localions such as crews in tanks, shipyards, water towers and any area that is difficult to access. The Nova 1® Talk™ offers users features that include push-to-talk simplicity, a noise-canceling microphone and pillow foam padding.



## **NOVA 1® TALK™ PARTS**









#### NOVA 1<sup>®</sup> TALK<sup>™</sup> PARTS

Motorola Connection Cable (two-pin)

Part # 09-930

Motorola Connection Cable (multi-pin)
Part # 09-931





Motorola Connection Cable (multi-pin)
Part # 09-932





### **NOVA 1® TALK™ SPECIFICATIONS**

#### MOTOROLA TWO-PIN RADIO MODELS

AXU4100, AXV5100, BPR40, CLS1110, CLS1410, CLS1413, CLS1450C, CLS1453C, CP100, CP150, CP185, CP200, CP88, CT125, CT150, CT250, CT450, CT450LS, DTR, DTR410, DTR550, DTR650, GP200, GP2000, GP300, GP308, GP68, GP88, GTI, GTX, LTS2000, P040, P080, P110, P1225, P1225LS, P200, P2000, PR400, RDK, RDU, RDU2020, RDU2080D, RDU4100, RDU4160D, RDV, RDV2020, RDV2080D, RDV5100, SP10, SP21, SP50, VL50, XTN, XTN446, XTN500, XTN600, XU1100, XU2100, XU2600, XV1100, XV2100, XV2600.

PART # 09-930



#### MOTOROLA MULTI-PIN RADIO MODELS

CBPRO, GP1280, GP140, GP320, GP328, GP329, GP338, GP339, GP340, GP360, GP380, GP640, GP650, GP680, GP960, HT1250, HT1250LS, HT1550, HT1550XLS, HT750, JT1000, MTX8250, MTX8250LS, MTX850, MTX850LS, MTX9250, MTX950, PR860, PR05150, PR05350, PR05450, PR05550, PR07150, PR07350, PR07450, PR07550, PR07750, PR09150, PTX700, PTX760, PTX780.

PART # 09-931



Turbo, APX 7000, XPR6300, XPR6580, XPR6500, XPR6550, APX7500.

Part # 09-932



GP900, GP9000, HT1000, MT1500, MT2000, MTS2000, MTX8000, MTX838, MTX900, MTX9000, MTX960, MTXLS, PRI500, X1500, XTS1500, XTS2000, XTS2500, XTS3000, XTS3500, XTS5000, GP1200.

Part # 09-934



#### KENWOOD TWO-PIN RADIO MODELS

TH-22AT, TH-235A, TH-28A, TH-42AT, TH-48A, TH-77A, TH-78A, TH-D7A(G), TH-F6, TH-6A,TH-G71A, TH-K2AT, TK-2100, TK-2102,TK-2130, TK-2160, TK-2170, TK-220, TK-2000,TK-2200LP, TK-2212L, TK-230VK, TK-240, TK-240D, TK-248, TK-250, TK-260, TK-260D,TK-260G, TK-270, TK-270G, TK-272G, TK-308, TK-3100, TK-3101, TK-3102, TK-3130, TK-3131, TK-3160, TK-3170, TK-3173, TK-320, TK-3200, TK-3200LP, TK-3212L, TK-3230, TK-3230XLS, TK-3302UK, TK-340, TK-340D, TK-348, TK-350, TK-353, TK-360, TK-360G, TK-370, TK-370G, TK-372G, TK-373, TK-430, TK-431, TK-2312, TK-3312.

Part # 09-933



**NOTE:** If the radio you are looking for is not in the above list, contact us
Toll Free on 1-866-494-4599 as there is a chance we may be able to find a cable to suit.





## **ASTRO™**



# THE LIGHTWEIGHT INDUSTRY BENCHMARK FOR ABRASIVE BLASTING

The undisputed economical champion for an abrasive blasting helmet. The RPB® Astro™ meets safety standards worldwide, including Australia, Europe and the USA.

Weighing only 2.6lb/1.2kg (excluding the breathing tube), the Astro™'s revolutionary lightweight design has proven to reduce operator fatigue and downtime.

For users in search of a flat lens respirator, the Astro™'s best-in-class cape attachment and low lifetime maintenance and parts replacement costs offer users and businesses an unbeatable value and return on investment.

And unlike other flat lens respirator manufacturers, at RPB® Safety, we don't take shortcuts and we refuse to compromise on quality. Our rigorous production standards ensure a robust build and quality from shell to seams.

The Astro™ is certified to the standards below and conforms to AS/NZS 1716:2012.



AS/NZS
CONFORMS TO
AS/NZS 1716:2012
RESPIRATORY

#### **BOOST PRODUCTIVITY**

Contractors have reported a time saving of over 45 minutes per day per blaster by using the RPB® "Fit & Save™" tear-off lenses that have individually pre-folded tabs, meaning workers are guaranteed to tear off only one lens at a time.







For more package options please visit **rpbsafety.com/astro** Other packages include:





## **ASTRO™ PARTS**







## **ASTRO™ PARTS**









RESPIRATORS [당 ASTRO"-PARTS



## T-LINK®



### RPB® T-LINK®. DESIGNED TO WORK **WITH YOU, NOT AGAINST YOU!**

Working longer stints never felt this good. Gone are the days of having to fight against a Tyvek® respirator. The RPB® T-Link® has been designed to assist you in your work, moving with you wherever you turn.

Below are just some of the features:

- The Tyvek® cover is securely attached to the helmet system ensuring it will never blow up off your head!
- The large viewing window enables you to operate with a widened perspective, featuring exceptional downward and peripheral vision.
- The soft, breathable inner-bib and extra tuck-in collar directs air down your body to aid cooling.

The T-Link®'s padded head-liner and head suspension system provides comfort and balanced weight distribution, making it feel lighter as there are no pressure points on your head. Being fully adjustable ensures the respirator fits securely and moves with your head, allowing you to work freely without having to worry about the hood getting in the way or messing up your fresh paint job. It is simply everything you could want in a painting respirator.

The T-Link® is certified to the standards below and conforms to AS/NZS 1716:2012, AS/NZS 1337.1:2010, AS/NZS 1801:1997.



AS/NZS CONFORMS TO AS/NZS 1716:2012

RESPIRATORY PROTECTION

**ANSI Z89.1**° EN397:2003 +A1:2009 AS/NZS 1801:1997

PROTECTION

**ANSI Z87.1**°

EN166:2001 AS/NZS 1337.1:2010

IMPACT PROTECTION FOR EYE & FACE

#### OPTIONAL COMFORT-LINK™ FIT SYSTEM

The Comfort-Link™ is an optional, fully-adjustable fit system that allows total control of helmet and head placement as well as making sure the T-Link® moves with your head.





 $<sup>\</sup>mbox{*}$  Not all configurations conform to this standard. Please visit  $\mbox{{\bf rpbsafety.com}}$  for more details.



T-LINK®
Breathing Tube (for T-Link®)
C40® Climate Control Device
Part # 17-115-12



For more package options please visit **rpbsafety.com/t-link** Other packages include:





## **T-LINK® PARTS**









T-Link® Cassette Lens (7 layers)

Part # 17-817
T-Link® Cassette Lens (4 layers)
Part # 17-811

T-LINK®-PARTS (3) RESPIRATORS



























# T100<sup>™</sup> SERIES



#### LIGHTWEIGHT PROTECTION

The RPB® T100™ Series is a cost-effective disposable respirator. The economical option that provides lightweight protection and premium quality.

Used throughout a variety of industries from industrial spray painting to chemical handling, the T100™ has been designed to be robust enough to reuse but cost effective enough to discard after use.

It is manufactured from DuPont™ Tychem® and offers superior comfort compared to conventional, tight, full-face respirators. The hood protects your entire head, eliminating the need for a head sock. A large variety of hood options with different features are available.

Users with facial hair commonly convert to loose-fitting respirators so they don't jeopardize their protection. There is no fit-testing required, saving you time and money, while maintaining OSHA compliance.



HARD HAT

<sup>\*</sup> Not all configurations conform to this standard. Please visit **rpbsafety.com** for more details. 1-866-494-4599 | rpbsafety.com



**ANSI Z89.1**<sup>°</sup> EN397:2003 +A1:2009 AS/NZS 1801:1997





For more package options please visit **rpbsafety.com/t100-series** Other packages include:





T100" SERIES - PARTS | 5 | RES











# T150<sup>™</sup> SERIES

THE ULTIMATE AIR SUPPLIED FULL-FACED RESPIRATOR



#### T150<sup>™</sup> SERIES



#### THE ULTIMATE AIR SUPPLIED **FULL-FACE RESPIRATOR**

A limited viewing area is a hazard for employees on industrial work sites, increasing risks such as tripping, falling, or even long-term eye-sight damage. Enter the RPB® T150™ NIOSH approved Type C respirator, which minimizes these risks and offers operators a superior comfort, vision and safety across a spectrum of applications from chemical stripping to spray painting and coating.

The T150™ is manufactured from polycarbonate, making it robust, yet comfortable enough for all-day protection. It has an adjustable six-point harness and thermoplastic (TPR) face seal that fits perfectly to the contours of the user's face, creating an airtight seal. It also features a panoramic lens that has been specially treated to prevent fog, scratches and acid wear and tear.

When operating in confined space applications requiring a full-face respirator, work in comfort with the knowledge that you and your team are receiving the most elite protection available.

#### **APPLICATIONS INCLUDE**

- Spray painting, coating and confined space applications
- Pharmaceutical manufacturing
- Chemical, pesticide and materials handling
- Chemical stripping
- Waste management

The comfortable nylon mesh head harness is adjustable for a secure fit, attaching via six fast release buckles.





**ANSI Z87+** EN166:2001 AS/NZS 1337.1:2010

HIGH VELOCITY IMPACT

#### **BOOST PRODUCTIVITY**

Protect the main lens from chemical splash, spray drift or dust with peel-off protective lenses. Pre-folded tabs ensure workers can quickly tear off just one layered lens at a time.









For more package options please visit **rpbsafety.com/t150-series** Other packages include:











# SNROPINON AIGNALIA



#### **PX4 AIR® PAPR**



# THE ULTIMATE POWERED AIR PURIFYING RESPIRATOR

The RPB® PX4 Air® is a robust and versatile Powered Air Purifying Respirator (PAPR) that provides clean breathing air to the full range of RPB® Safety's industry leading respirators.

Whether you're welding, grinding, painting or in a laboratory, the RPB® PX4 Air® can serve all your mobile respiratory needs.

The PX4 Air® optimizes user safety, comfort and portability. Users benefit from the safety of clean breathing air without the restriction of attached airlines, providing complete flexibility to move around as the job requires. It is NIOSH and CE certified and exceeds the requirements of AS/NZS.

#### APPLICATIONS INCLUDE

- Spray painting, coating and confined space applications
- Pharmaceutical manufacturing
- Chemical, pesticide and materials handling
- Chemical stripping
- Waste management
- And many more!



Long life, lightweight, Lithium rechargeable battery. Operates up to 6 hours on a single charge. Has a quick test button to view the current battery charge.



AS/NZS\*
CONFORMS TO
AS/NZS 1716:2012

RESPIRATORY PROTECTION

\* Only in conjunction with respirator

#### LED DISPLAY

The LED display shows battery life and fan speed. When flow is below the minimum requirements the unit alerts you by an audible and vibrating alarm.










For more package options please visit **rpbsafety.com/px4-air** Other packages include:





# **PX4 AIR® PAPR PARTS**







# **PX4 AIR® PAPR PARTS**









#### **GX4® GAS MONITOR**



#### THE ULTIMATE MULTI-GAS DETECTOR

Dangerous levels of toxic gases can cause severe injury or death. The RPB $^\circ$  GX4 $^\circ$  Gas Monitor gives you the complete confidence that the air you and your employees breathe is safe.

Gases such as carbon monoxide are invisible to all the human senses, yet are commonly found in industrial premises worldwide. While low-level exposure may not be immediately fatal, ongoing contact at low levels has a cumulative effect, causing serious illness and long-term health concerns. Early symptoms can be mistaken for the flu, headaches or tiredness. It is a serious problem which is commonly overlooked.

The GX4® can detect up to four gases simultaneously. It includes smart device and cloud integration capabilities enabling you to view your air quality from any device, while sensors are displayed online in real time.

#### **APPLICATIONS INCLUDE**

- Spray painting, coating and confined space applications
- Pharmaceutical manufacturing
- Chemical, pesticide and materials handling
- Chemical stripping
- Waste management

Connect to the GX4® from your laptop, tablet, phone or even network to view real time data, download logs, alter alarm points and much more.



#### **GAS SENSORS**

A range of pre-calibrated gas sensors are available including CO,  $O_2$  and  $H_2S$ . All have a 2 year shelf life.



ISO900 Complete quick and easy calibration checks with no set points required. 103 DBA staccato alarm. Illuminated display that shows real time data. Monitor up to four gases simultaneously. [75] YJAAUS Robust power inlet. Push release air inlet Sturdy mounting bracket Cartridges can be easily removed and replaced. Strong nylon ABS case that will handle the harshest of conditions. \*From local and globally 

1-866-494-4599 | rpbsafety.com





For more package options please visit rpbsafety.com/gx4-gas-monitor Other packages include:

12 V Cable with







Power Cable
US Part # 09-021
AU/NZ Part # 09-021-AU
UK Part # 09-021-UK
EU Part # 09-021-EU











**GAS MONITOR-PARTS**  $\left| \overset{\mbox{\tiny 60}}{\boxtimes} \right|$  AIR MONITORING FILTRATION & SUPPLY

# **GX4® GAS MONITOR PARTS**



Zero Air (20.9% Oxygen in Nitrogen) Part # 08-460 20ppm CO (20ppm Carbon Monoxide in Air) Part # 08-461 20ppm H<sub>2</sub>S (20ppm Hydrogen Sulfide in Nitrogen) Part # 08-462











# **RADEX® AIRLINE FILTER**



#### **ADVANCED FILTRATION CAPACITY & VERSATILITY**

Polluted air can be the cause of major health issues and, at the very least, can adversely affect operator comfort and productivity. The RPB® Radex® Airline Filter improves the quality of the air your employees are breathing and exceeds industry filtration standards so you can be assured that your operators won't suffer the consequences of breathing contaminated air.

The filter is fitted with a large capacity, 6-stage filter cartridge that removes moisture, odor and particulates to 0.5 micron from the compressed air stream, providing clean, breathable air. The Radex® features a unique twist-and-lock wall and floor mounting system.

An optional auto drain valve is available to fit to your filter that continually removes moisture from the filter housing, increasing the lifespan of the filter cartridge.









For more package options please visit rpbsafety.com/radex-airline-filter



# **RADEX® AIRLINE FILTER PACKAGES**



For more package options please visit rpbsafety.com/radex-airline-filter

RADEX® COMPLETE BREATHING AIR SYSTEM

GX4® Gas Monitor Micro Mist Filter 1/2"

Mainline Pre-filter Aluminum Wall Bracket

Replacement Radex® Filter Cartridge

Brass Nipple 1/2"

Part # 04-907




For more package options please visit rpbsafety.com/radex-airline-filter







# **RADEX® AIRLINE FILTER PARTS**











# **RADEX® AIRLINE FILTER PARTS**







# **RADEX® AMBIENT AIR PUMP PACKAGES**

# AMBIENT AIR PUMP One Person Part # 06-100

# **RADEX® AMBIENT AIR PUMP PARTS**







# **AIR SUPPLY PARTS**

Quick Release Coupler
1/4" Female Thread
Part # NV2025
With RZ Fitting
Part # 03-052-CF-RZ
CE approved
Part # 03-022-CF

100' Breathing Air Supply Hose 3/8" Diameter (includes Quick Release Filtings) Part # NV2027 With RZ Filtings Part # 04-352-100-RZ CE approved

Part # 04-322-100



1/2" Hansen Coupler Part # 9700-72AD

200



50' Breathing Air Supply Hose 3/8" Diameter (includes Quick Release Fittings) Part # NV2029 With RZ Fittings Part # 04-352-50-RZ CE approved Part # 04-322-50



Quick Release Schrader Coupler 1/4" Female Thread
Part # 03-042-CF



25' Breathing Air Supply Hose 3/8" Diameter (includes Quick Release Fittings)
Part # NV2028
With RZ Fittings
Part # 04-352-25-RZ
CE approved
Part # 04-322-25



100' Breathing Air Supply Hose 1/2" Diameter (includes Quick Release Fittings\*)

#### Part # NV2036

50' Breathing Air Supply Hose 1/2" Diameter (includes Quick Release Fittings\*)

Part # NV2035





\*(Note: for use with low pressure air pumps)





# **C40™ CLIMATE CONTROL DEVICE**



# ADVANCED AIR TEMPERATURE CONTROL SYSTEM

Working in an environment where the temperature is comfortable is key to maximizing productivity. The RPB $^{\circ}$  C40 $^{\circ}$  Climate Control Device can heat and cool your supplied air as desired.

With the slide of a lever, your employees can switch from heating to cooling ensuring they are comfortable whether they're in the searing heat of the Arizona summer, a severe Scandinavian winter or anywhere in between.

The RPB® C40 $^{\rm m}$  can cool incoming air by up to 52°F (29°C) or heat it by up to 33°F (18°C). This is achieved by simply switching the mixing lever from hot to cold. The device is lightweight and ergonomically designed to sit comfortably on the operator's hip. The RPB® C40 $^{\rm m}$  pairs with most of our respirator range.

#### **APPLICATIONS INCLUDE**

- Spray painting, coating and confined space applications
- Pharmaceutical manufacturing
- Chemical, pesticide and materials handling
- Chemical stripping
- Waste management



\* Only in conjunction with respirator.

#### LOW MAINTENANCE

Low maintenance required. The air silencers are the only parts that need cleaning or replacing.







C40™ CLIMATE CONTROL DEVICE (NIOSH approved)

Part # 03-501

C40™ CLIMATE CONTROL DEVICE (CE approved)

Part # 03-502

WITH RZ FITTING


Part # 03-501-RZ



For more package options please visit rpbsafety.com/c40-climate-control



# **C40™ CLIMATE CONTROL DEVICE PARTS**









# **COLD AIR TUBE**



#### **ADVANCED AIR TEMPERATURE CONTROL**

The RPB® Cold Air Tube is part of RPB® Safety's range of economical climate control assemblies. It significantly cools your air supply for optimum performance and comfort when operating in climate and environmental extremes.

#### RPB® 4000-01 COLD AIR TUBE ASSEMBLY

The RPB® 4000-01 is manufactured from engineering grade plastic which is extremely robust and ideal for the rigors of the workplace. It cools compressed breathing air entering respirators by as much as 32°F (18°C).



# **HOT AIR TUBE**



#### **ADVANCED AIR TEMPERATURE CONTROL**

The RPB® Hot Air Tube is part of RPB® Safety's range of economical climate control assemblies. It significantly heats your air supply for optimum performance and comfort when operating in climate and environmental extremes.

#### RPB® 4000-20 HOT AIR TUBE ASSEMBLY


The RPB® 4000-20 is manufactured from engineering grade plastic which is extremely robust and ideal for the rigors of the workplace. It warms compressed breathing air entering respirators by as much as 30°F (17°C).




\* Only in conjunction with respirator
















Hot Air Tube Body

Part # 4000-05R

AIR MONITORING FILTRATION & SUPPLY  $\begin{bmatrix} S \\ GI \end{bmatrix}$  FLOW CONTROL - PARTS

# **FLOW CONTROL PARTS**









Adapter 1/2" Low Pressure Plug to 3/8" NPT Male Thread Part # NV2034



Adapter 1/4" RPB® Plug to 3/8" NPT Male Thread



Quick Release Tail 1/4" Male Thread Part # 03-012-PM (previously 4000-06) With RZ Fitting Part # 03-052-PM-RZ



Flow Control Valve (NIOSH approved)

Part # NV2016

(CE approved) Part # NV2016CE







# 



# **BLAST SUIT**



### **ADVANCED COMFORT** & USABILITY

The nature of abrasive blasting creates dangerous environments for operators. The RPB® Blast Suit provides ultimate protection and comfort to the operator, advancing your safety and increasing your productivity.

extra comfort and protection.

Blast Suit is available in size range Small - XXXXL.

RPB® Blast Suit Size Chart (INCH)							
SIZE	S	М	L	XL	XXL	XXXL	XXXXL
CHEST	36	38	40	42	44	46	48
WAIST	32	34	36	38	40	42	44
HIP	38	40	42	44	46	48	50
TOTAL LENGTH	60	62	63	64	65	66	68
INSIDE LEG	30	30	30	30	30	30	30

knee pad which insert into the Blast Suits



designed to keep the Elasticated wrists and adjustable Heavy duty nylon for operator cool. ankle cuffs for a comfortable fit. maximum protection to the front of your body and arms. The blast suit features triple stitching for durability and replaceable knee pads for Available in Part # 07-755-(S-XXXXL) 7 sizes. Optional knee pads. ESSENTIALS | 12| Robust nylon zipper with protective cover. 1-866-494-4599 | rpbsafety.com 

Breathable cotton back

Elasticated waist for a comfortable fit.

ISOSOOI CERTIFIED COMPANY



## **SAFETY ESSENTIALS**



### **ADVANCED SAFETY SUPPORT**

As you know, it is essential to take care of small details to protect your employees in dangerous environments. How can you be certain that your employees are completely protected? RPB®'s safety essentials range takes care of the details, and are ideal for use in conjunction with our respiratory equipment, ensuring your employees are completely safe, comfortable and productive.

### **SAFETY GLASSES**

The RPB® Safety Glasses advance your safety and increase your productivity as they are protective, comfortable, cost effective and reliable. Three different styles are available, each with either clear or smoked lenses.

Safety Glasses - Clear Part # 18-221-C

Safety Glasses - Smoked Part # 18-221-S

Plus Safety Glasses - Clear Part # 18-241-C







Plus Safety Glasses - Smoked Part # 18-241-S

Ultra Safety Glasses - Clear Part # 18-261-C

Ultra Safety Glasses - Smoked **Part # 18-261-S** 







Do-rag

The RPB® Do-rag is made from soft, breathable cotton fabric, and features a sweat band to keep sweat out of the operator's eyes when wearing a respirator.

Part # 05-613



Head Sock (pk 10)
The RPB® Head Socks provide
protection from overspray and dust.



Knee Pads (pair)
Part # 07-761



Earmuffs (NRR 28)
Part # 18-513



Leather Blasting Gloves
The RPB® Leather Gloves are made from premium quality leather with Kevlar stitching for durability. They feature a double layer palm and extra leather strip on the outside for additional protection. The lining is soft and comfortable.

Part # 07-701



S100™ Ear Plugs (200 pairs)
The RPB® S100™ Ear Plugs are manufactured from soft, quality foam. They feature the comfortable "bell shape". NRR 32 decibels.





# 



# **FULL PARTS INDEX**

# ISOSOOI CERTIFIED COMPANY

### **Z-LINK®**

Z-LINK <sup>®</sup>	
PAGE 16	PART #
Supplied Air Breathing Tube (for Z-Link®)	04-830
PX4 Air® Breathing Tube (for Z-Link®)	04-83
FR Hose Cover (does not include Breathing Tube)	04-85
Ultra Magnifying Lens 1.0	13-072-
Ultra Magnifying Lens 1.5	13-072-1.
Ultra Magnifying Lens 2.0	13-072-
Ultra Magnifying Lens 2.5	13-072-2.
Jaw Assembly (includes screws and 16-515)	16-51
Lens Seal	16-51
Earmuff Bracket (pair, includes screws)	16-516
Rear Cape Clip	16-518
Side Padding System	16-520-
Fit System (includes 16-520-S, 16-521, 16-522, 16-525,	
16-526, 16-530, 16-531)	16-520-
Impact Absorber	16-52
Comfort Pad	16-52
Head Harness System Bracket and Air Deflector	16-52
Brow Pad	16-52
Side Padding Frames	16-52
Foam Side Pads	16-52
Ratchet Assembly	16-530
Head Harness (includes 16-530)	16-53
Visor (includes 16-612, 16-613, 16-614, 16-615, FS-04, FS-17)	16-61
Z-Link® Pivot Assembly (includes 16-614, 16-516, 2pcs 16-615,	
FS-04, 2pcs FS-17	16-610
Welding Visor (includes ADF Lens)	16-670
Welding Visor (includes 16-672, 16-673, 16-674)	16-67
Welding Lens Retainer	16-67
Weld Visor Attachment Clips	16-67
Welding Visor Frame	16-67
Zytec® FR Face Seal	16-71
Tychem® 2000 Face Seal	16-71
Zylec® FR Shoulder Cape	16-72
Tychem® 4000 Shoulder Cape	16-72
Safety Lens Anti Fog/Anti Scratch	16-810
Safety Lens - Infrared (shade 5)	16-810-IR
Safety Lens - Mirror Tinted Anti Fog	16-810-M
Safety Lens - Smoke Tinted Anti Fog/Anti Scratch	16-810-S
Safety Lens - Yellow Tinted Anti Fog/Anti Scratch	16-810-Y
Tear-off Lens (pk 50)	16-81
ADF Lens	16-87
Welding Impact Lens (pk 10)	16-87
Z-Link® ADF Impact Lens - Aluminum Coated (pk 10)	16-872-A
ADF Rear Lens (pk 10)	16-87
Z-Link® Protective Lens for ADF Impact Lens -	46.07
Aluminum Coated (pk 10)	16-874

### **Z-LINK**® continued

PAGE 16	PART#
Magnifying Lens Holder	16-875
Low Flow Indicator	16-930

### **LINK ACCESSORIES**

PAGE 26	PART#
Battery Charger	09-050
Battery	09-055
Push to Talk Button	09-913
Motorola Connection Cable (two-pin)	09-930
Motorola Connection Cable (multi-pin)	09-931
Motorola Connection Cable (multi-pin)	09-932
Kenwood Connection Cable (two-pin)	09-933
Motorola Connection Cable (multi-pin)	09-934
Motorola Connection Cable (single-pin)	09-935
Jaw Mount (for Z-Link® and Z4®, does not include screw)	15-839
Earmuff Bracket (pair, includes screws)	16-516
Communication Retainer Clip	16-529
Vision-Link™ (includes 09-510-RAW, 16-918, 15-839)	16-901
Light (does not include charger)	16-910
Cowling Seal	16-915
Latch	16-917
Jaw Mount (for T-Link®, includes screws)	16-918
Adjustment Lever Kit	16-919
Communication System (includes 16-529 and 09-913)	16-922
Helmet Mounted Earmuff (pair)	18-533

### **Z4**®

PAGE 39	PART#
Supplied Air Breathing Tube (for Z4®)	04-833
PX4 Air® Breathing Tube (for Z4®)	04-837
FR Hose Cover (does not include Breathing Tube)	04-854
Ultra Magnifying Lens 1.0	13-072-1
Ultra Magnifying Lens 1.5	13-072-1.5
Ultra Magnifying Lens 2.0	13-072-2
Ultra Magnifying Lens 2.5	13-072-2.5
Side Pad Mounts (pair, includes Velcro pieces)	15-148
FR Face Seal	15-711
FR Shoulder Cape	15-721
Weld Visor Assembly (includes 16-672 and 15-821)	15-812
Side Window Blockers - Solid Gray (pair)	15-821
Z4® Spring Assembly Kit	15-822
Side Window Blockers -Shade 5 (pair)	15-821-5
Head Harness Bracket and Adjustment System	15-830
Front Cape Clip Cover	15-831
Safety Lens Bayonet (pair)	15-832

### **Z4**® continued

PAGE 39	PART#
Face Shield	15-811
Front Cape Clip Cover	15-831
Head Harness (includes 16-530 and 15-848)	15-840
Comfort Side Padding System	15-848
Air Intake Assembly (includes screws)	15-851
Safety Lens (pk 10)	15-878
Brow Pad	16-526
Foam Side Pads	16-528
Ratchet Assembly	16-530
Welding Lens Retainer	16-672
ADF Lens	16-871
Welding Impact Lens (pk 10)	16-872
ADF Rear Lens (pk 10)	16-873
Magnifying Lens Holder	16-875

### **Z3™ WELDER**

PAGE 51	PART
Supplied Air Breathing Tube (for Z3™)	03-0
Swivel Air Fitting Elbow	03-03
PX4 Air® Breathing Tube (for Z3™)	04-83
Hose Holder	13-0
Head Harness	13-04
Comfort Padding (Sweat Band, Neck Pad)	13-04
Hard Hat Adapter Clips	13-04
Outer Lens Frame	13-05
Outer Lens Frame Seals	13-0
Impact Lens (pk 10)	13-05
Ultra Rear Lens (pk 10) (3.78" x 2.68" / 107mm x 71.5mm)	13-05
ADF Ultra Filter (3.78" x 2.68" / 107mm x 71.5mm)	13-06
Magnifying Lens Holder	13-0
Ultra Magnifying Lens 1.0	13-072
Ultra Magnifying Lens 1.5	13-072-1
Ultra Magnifying Lens 2.0	13-072
Ultra Magnifying Lens 2.5	13-072-2
Flex Face Seal	13-32
Hard Hat (includes 13-045)	13-32

### **Z100™ SERIES**

PAGE 60	PART#
PX4 Air® Breathing Tube (for Z100™, includes 07-122)	04-836
Head Harness Mounting Clips (pk 2)	07-121
Hose Clamp (single bond nylon, 1-13/32)	07-122
Peel-off Lens (pk 50)	07-123
Hard Hat Clip (for 07-721)	07-125
Hard Hat (includes 07-125 Hard Hat Clip)	07-126
***************************************	

### **Z100™ SERIES** continued

PAGE 60	PART#
Zytec® FR Hood with Safety Lens	07-160-S
Head Suspension	07-920
Brow Pad (for 07-920, pk 5)	07-924
Chin Strap (for 07-920 and 07-721)	07-926
Supplied Air Breathing Tube (for Z100™, includes 07-122)	NV2021F

NOVA 3®	
PAGE 68	PART#
PX4 Air® Breathing Tube (for Nova 3®)	04-837
Adjustable Head Support	07-900
Inner Bib	NV2012
Supplied Air Breathing Tube (for Nova 3®)	NV2021B
Domes (8 sets)	NV2041
Inner Gasket	NV3-721
Inner Lens (pk 10)	NV3-722
Tinted Inner Lens (pk 10)	NV3-722-T
Inner Lens Frame	NV3-723
Outer Lens (pk 50)	NV3-724
Tear-off Lens (pk 50)	NV3-725
Visor Kit (includes Hinge and Latch)	NV3-726
Hinge Lock	NV3-727-2
Visor Mount Kit	NV3-727/8
Air Inlet Kit	NV3-729
Padding Connections (left and right)	NV3-730
Side Padding Frames (left and right)	NV3-731
Side Padding Foam and Covers 5mm NV	3-732-A05
Side Padding Foam and Covers 10mm N	/3-732-A10
Side Padding Foam and Covers 15mm N	/3-732-A15
Side Padding Foam and Covers 20mm NV	3-732-A20
Side Padding Covers (5 pairs)	NV3-733
Head Liner Kit (includes NV3-734-1)	NV3-734
Head Liner Clips (pk 4)	NV3-734-1
Head Liner Foam Padding	NV3-735
Neck Pad	NV3-735-1
Hygiene Kit 5mm (includes 2 alcohol wipes) NV	3-736-A05
Hygiene Kit 10mm (includes 2 alcohol wipes)	/3-736-A10
Hygiene Kit 15mm (includes 2 alcohol wipes) N	/3-736-A15
Hygiene Kit 20mm (includes 2 alcohol wipes) NV	3-736-A20
Cassette Lens System (pk 20)	NV3-745
Nylon Respirator Cape (includes Inner Bib NV2012)	NV3-750
Extra Length Nylon Respirator Cape (includes Inner Bib NV2012)	NV3-751
Leather Respirator Cape (includes Inner Bib NV2012)	NV3-752
Extra Length Leather Respirator Cape (includes Inner Bib NV2012)	NV3-753
Blast Jacket size XL (includes Inner Bib NV2012)	NV3-754
Blast Jacket size XXL (includes Inner Bib NV2012)	NV3-755
Cape Cover Band	NV3-759



# **FULL PARTS INDEX**



### NOVA 3® TALK™

PAGE 77	PART#
Chest Harness	09-814
Nova 3® Talk™ Upgrade Kit	09-903
Push to Talk Button	09-913
R-Tex High Noise Headset	09-915
R-Tex High Noise Headset (includes PTT)	09-916
Motorola Connection Cable (two-pin)	09-930
Motorola Connection Cable (multi-pin)	09-931
Motorola Connection Cable (multi-pin)	09-932
Kenwood Connection Cable (two-pin)	09-933
Motorola Connection Cable (multi-pin)	09-934
Side Padding Covers (for Nova 3® Talk™, 5 pairs)	NV3-733TK

### L4™ LIGHT

PART #
09-02
09-021-Al
09-021-El
09-021-UI
09-51
09-520
09-52
09-52
09-532-2

### **NOVA 2000®**

NOVA 2000°	
PAGE 94	PART #
Air Inlet Assembly	
previously NV2006/7 and NV2006/7 CE)	03-045
Nylon Respirator Cape	NV2002
Extra Length Nylon Respirator Cape	NV2002XL
eather Respirator Cape	NV2002L
Nylon Blast Jacket size XL	NV2002HB-XL
Nylon Blast Jacket size XXL	NV2002HB-XXL
Nindow Frame Gasket	NV2003
/isor Kit	NV2004
_atch Kit	NV2008
Helmet Liner size Medium	NV2009
Helmet Liner size Large	NV2009LH
Helmet Liner size Small	NV2009SH
Hygiene Kit (includes 2 alcohol wipes) size Medium	NV2009/10
Hygiene Kit (includes 2 alcohol wipes) size Large	NV2009/10LH

### NOVA 2000® continued

PAGE 94	PART#
Hygiene Kit (includes 2 alcohol wipes) size Small	NV2009/10SH
Side Wings (pair) size Medium	NV2010
Side Wings (pair) size Large	NV2010LH
Side Wings (pair) size Small	NV2010SH
Side Wings (pair, for wearers with glasses) size Medium	NV2010G
Side Wings (pair, for wearers with glasses) size Large	NV2010GLH
Side Wings (pair, for wearers with glasses) size Small	NV2010GSH
Inner Bib	NV2012
Cape Cover Band	NV2013
Tear-off Lens (pk 50)	NV2017
Inner Lens (pk 10)	NV2018
Tinted Inner Lens (pk 10)	NV2018-T
Supplied Air Breathing Tube (for Nova 2000®) (previously NV2021)	NV2021B
Outer Lens 0.05mm thick (pk 50)	NV2031
Outer Lens 0.04mm thick (pk 50)	NV2031-015
Velstuds (pk 6)	NV2038
Domes (8 sets)	NV2041
Hand Strap	NV2042

### NOVA 2000® TALK™

PAGE 101	PARI#
Chest Harness	09-814
Nova 2000® Talk™ Upgrade Kit	09-900
Side Wings (pair, without Headset)	09-912
Push to Talk Button	09-913
R-Tex High Noise Headset (includes PTT)	09-916
Motorola Connection Cable (two-pin)	09-930
Motorola Connection Cable (multi-pin)	09-931
Motorola Connection Cable (multi-pin)	09-932
Kenwood Connection Cable (two-pin)	09-933
Motorola Connection Cable (multi-pin)	09-934

### **NOVA 1**®

PAGE 110	PART#
Window Gasket Seal	02-807
Inner Lens (pk 10)	02-810
Tinted Inner Lens (pk 10)	02-810-T
Outer Lens (pk 50)	02-811-015
Tear-off Lens (pk 50)	02-816
PX4 Air® Breathing Tube (for Nova 1®)	04-837
Helmet Dome Holder	NV1-123

### **NOVA 1®** continued

	PART #
	NV1-124
	NV1-125
	NV2009
	NV2009LH
	NV2009SH
N	IV2009/10SH
	NV2009/10
N	IV2009/10LH
	NV2010SH
	NV2010
	NV2010LH
	NV2010GSH
	NV2010G
	NV2010GLH
	NV2012
	NV2021B
	NV2030
	NV2038
	NV2041
	NV3-729
	NV3-750
	NV3-751
	NV3-752
	NV3-753
	NV3-754
	NV3-755
	NV3-759

### NOVA 1® TALK™

PART #
09-814
09-900
09-912
09-913
09-916
09-930
09-931
09-932
09-933
09-934

### **ASTRO™**

PAGE 128	PART#
Visor Kit (includes Strap and Screws)	02-804
Visor Strap (pk 5)	02-805
Cleat and Screws	02-806
Window Gasket Seal	02-807
Suspension Clips (pk 4)	02-808
Head Harness (NIOSH approved)	02-809
Head Harness (CE approved)	02-809CE
Inner Lens (pk 10)	02-810
Tinted Inner Lens (pk 10)	02-810-T
Outer Lens (pk 50)	02-811-015
Cape Cover Band	02-812
Nylon Respirator Cape	02-813
Leather Respirator Cape	02-814
Tear-off Lens (pk 50)	02-816
Air Inlet Assembly	
(previously NV2006/7 and NV2006/7 CE)	03-045
Inner Bib	NV2012
Supplied Air Breathing Tube (for Astro™) (previously NV2021)	NV2021B
Low Flow Indicator Assembly	NV2030
Domes (8 sets)	NV2041
Hand Strap	NV2042

### T-LINK®

PAGE 138	PART #
Supplied Air Breathing Tube (for T-Link®)	04-830
PX4 Air® Breathing Tube (for T-Link®)	04-835
Peel-off Lens (pk 50)	07-123
Jaw Assembly (includes 16-515)	16-514
Earmuff Bracket (pair, includes screws)	16-516
Side Padding System	16-520-S
Fit System (includes 16-520-S, 16-521, 16-522,	
16-525, 16-526, 16-530, 16-531)	16-520-T
Impact Absorber	16-521
Comfort Pad	16-522
Head Harness System Bracket and Air Deflector	16-525
Brow Pad	16-526
Side Padding Frames	16-527
Foam Side Pads	16-528
Ralchel Assembly	16-530
Head Harness (includes 16-530)	16-531
T-Link® Hard Hat Assembly	17-010
T-Link® Bump Cap Assembly	17-110
Tychem® 2000 Hood	17-712



# **FULL PARTS INDEX**

### T-LINK® continued

PAGE 138	PART#
Tychem® 2000 Hood with Safety Lens	17-712-S
Tychem® 4000 Hood with Sealed Seams, Safety Lens	17-713-S
Lens Clips (pair)	17-512
T-Link® Cassette Lens (4 layers)	17-811
T-Link® Peel-off Lens (pk 25)	17-815
T-Link® Cassette Lens (7 layers)	17-817

### T100™ SERIES

PAGE 150	PART #
PX4 Air® Breathing Tube (for T100™, includes 07-122)	04-836
Tychem® 2000 Hood	07-110
Head Harness Mounting Clips (pk 2)	07-12
Hose Clamp (Single Bond Nylon, 1-13/32)	07-122
Peel-off Lens (pk 50)	07-123
Head Suspension	07-920
Brow Pad (for 07-920, pk 5)	07-924
Chin Strap (for 07-920 and 07-721)	07-926
Supplied Air Breathing Tube (for T100™, includes 07-122)	NV2021F

### T150<sup>™</sup> SERIES

PAGE 158	PART#
Supplied Air Breathing Tube (for T150™)	03-03
Swivel Air Fitting Elbow	03-03
PX4 Air® Breathing Tube (for T150™)	04-839
Visor and Rubber Face Seal	11-910
Inner Face Seal	11-91
Inhalation Valves	11-91:
Clamping Band	11-91:
Visor and Valves	11-91
TPR Face Seal	11-916
Tear-off Lens (pk 50)	11-92
Comfort Nylon Head Suspension	11-93
Breathing Tube Bracket	11-948

### **PX4 AIR® PAPR**

PAGE 168	PART#
Fan Housing	03-910
Filter Door	03-921
Door Cover	03-922
Door Latch	03-923
Bell Loops (pair)	03-924
OV Housing Cover	03-929
Complete Charger Kit - US	03-950
Complete Charger Kit - AU/NZ	03-950-AU
Complete Charger Kit - EU	03-950-EU

### PX4 AIR® PAPR continued

PAGE 168	PART#
Complete Charger Kit - UK	03-950-UK
Baltery Charger	03-951
24 Volt Power Supply Unit (includes Power Cable)	03-952
Ballery	03-955
Belt Supports (pair)	03-965
Pre-filter (pk 10)	03-981
Spark Arrestor	03-982
P100 Filter Cartridge	03-985
OV Pre-filler (pk 10)	03-991
OV Spark Arrestor	03-992
OV Cartridge	03-995
Flow Meter	04-091
PX4 Air® Breathing Tube (for Z-Link®, T-Link®)	04-835
PX4 Air® Breathing Tube (for T100™, Z100™)	04-836
PX4 Air® Breathing Tube (for Z4®)	04-837
PX4 Air® Breathing Tube (for Z3™, T150™)	04-839
2" Bell with Nylon Buckle	07-765
2" NOMEX® Belt with Acetal Buckle	07-765-FR
Power Cable - US	09-021
Power Cable - AU/NZ	09-021-AU
Power Cable - EU	09-021-EU
Power Cable - UK	09-021-UK

### **GX4® GAS MONITOR**

PAGE 178	PART#
Aluminum Wall Bracket	08-231
Gas Sensor Cartridges - Carbon Monoxide 10ppm	08-420-01
Gas Sensor Cartridges - Carbon Monoxide 5ppm	08-420-02
Gas Sensor Cartridges - Hydrogen Sulfide 10ppm	08-420-03
Gas Sensor Cartridges - Oxygen 19.5% - 23%	08-420-04
Blank Sensor Case	08-420
Sensor Manifold Tube	08-422
Heavy Duty Field Case	08-424
Mounting Bracket (pair)	08-425
Air Supply Hose and One Touch Connector	08-428
M5 Inlet Filter, Sintered Brass	08-429
Power Adapter Pack - US	08-430
Power Adapter Pack - AS/NZ	08-430-AU
Power Adapter Pack - UK	08-430-UK
Power Adapter Pack - EU	08-430-EU
12 Volt Cable with Battery Clips	08-431
Auxiliary Cable 50' with Bare End	08-434
Auxiliary Strobe Light with 50' Cable	08-435
Auxiliary Strobe and Alarm Tower with 50' Cable	08-436
Calibration Adapter	08-450

### **GX4® GAS MONITOR** continued

PAGE 178	PART
Calibration Flow Regulator 1.5 SLPM	
(includes 08-450, for Zero Air and CO gas boltles)	08-45
Calibration Flow Regulator 1.5 SLPM	
(includes 08-450, for H <sub>2</sub> S gas bottles)	08-45
Zero Air	08-46
CO 20ppm in Air	08-46
H <sub>2</sub> S 20ppm in Nitrogen	08-46
External Flow Regulator	08-47
External Flow Regulator with RZ Fittings	08-470-R
Power Cable - US	09-02
Power Cable - AU/NZ	09-021-A
Power Cable - UK	09-021-U
Power Cable - EU	09-021-E
***************************************	

### RADEX® AIRLINE FILTER

PAGE 190	PARI#
1/4" Coupler 3/8" MNPT with RZ Fitting (to fit 04-965 Manifold)	03-053-CM-R2
1/4" Coupler 3/8" FNPT	04-91
3/8" Brass Tee	04-912
3/8" Brass Cap	04-913
Pressure Regulator	04-914
Pressure Gauge	04-915
Pressure Relief Valve (150 psi)	04-916
3/8" Brass Nipple	04-917
Filter Lid (for 04-900)	04-918
O-ring (set of 2)	04-919
Bolt, Nut, Washer (set of 4)	04-920
Brass Drain Tap	04-922
Base Mount	04-923
Auto Drain Unit	04-924
Micro Mist Filter 1/2"	04-925
1" x 1/2" Reducing Nipple	04-926
Mainline Pre-filter	04-927
Brass Elbow	04-928
Filter Element (for 04-927 Mainline Pre-filter)	04-929
Micro Mist Element (for 04-925 Micro Mist Filter)	04-930
Auto Drain Assembly (for 04-924 Auto Drain Unit)	04-93
Parts Bag for Radex (04-900)	04-932
1/2" NPT Hex Connector	04-952
Six Man Upgrade Kit	04-960
Six Outlet Filter Lid	04-96
Super High Flow Regulator (includes Gauge 04-915)	04-962
1/4" Coupler 3/8" MNPT (to fit 04-965 Manifold)	04-964
Six Outlet Manifold	04-965

### RADEX® AIRLINE FILTER continued

PAGE 190	PART #
1" NPT Hex Connector	04-966
Ambient Air Pump (one person)	06-100
Replacement Filter Cartridge (generic)	AFC100
Replacement Radex® Filter Cartridge	APF3100
Inlet Filter Element	9700-01
Exhaust Filter Element	9700-02
Pressure Relief Valve	9700-03
Pressure Gauge	9700-04
Inlet Filter Assembly (includes 9700-01)	9700-08
Exhaust Filter Canister	9700-15
1/2" Hansen Coupler	9700-72AD

### **AIR SUPPLY**

IIK SOFFEI	
GE 200	PART#
iick Release Coupler 1/4" Female Thread	
E approved)	03-022-CF
iick Release Schrader Coupler 1/4" Female Thread	03-042-CF
iick Release Schrader Tail 1/4" Female Thread	03-042-PF
uick Release Coupler 1/4" Female Thread	
th RZ Fitting	03-052-CF-RZ
i' Breathing Air Supply Hose 3/8" Diameter th RZ Fittings	04-352-25-RZ
' Breathing Air Supply Hose 3/8" Diameter	
E approved)	04-322-25
)' Breathing Air Supply Hose 3/8" Diameter	
E approved)	04-322-50
O' Breathing Air Supply Hose 3/8" Diameter	
E approved)	04-322-100
' Breathing Air Supply Hose 3/8" Diameter	04 252 25 57
th RZ Fittings	04-352-25-RZ
)' Breathing Air Supply Hose 3/8" Diameter th RZ Fittings	04-352-50-RZ
O' Breathing Air Supply Hose 3/8" Diameter	0100200112
th RZ Fittings	04-352-100-RZ
2" Hansen Coupler	9700-72AD
iick Release Coupler 1/4" Female Thread	NV2025
O' Breathing Air Supply Hose 3/8" Diameter	
cludes Quick Release Fittings)	NV2027
)' Breathing Air Supply Hose 3/8" Diameter	
cludes Quick Release Filtings)	NV2029
)' Breathing Air Supply Hose 1/2" Diameter	
cludes Quick Release Filtings*)	NV2035
O' Breathing Air Supply Hose 1/2" Diameter	AU (0.555
cludes Quick Release Filtings")	NV2036



### **C40™ CLIMATE CONTROL DEVICE**

**FULL PARTS INDEX** 

PAGE 208	PART#
1/4" Plug to 1/4" NPT Male Swivel	03-012-PMS
1/4" Safety Plug to 1/4" NPT Male Swivel	03-022-PMS
1/4" Male Thread RZ Coupler Swivel Plug	03-052-PMS-RZ
U Tube Assembly	03-510
Bottom Case	03-514
Top Case Assembly	03-521
Exhaust Assembly	03-522
Silencer Assembly	03-526
Inlet Collar	03-536
Silencers (pair)	03-537
Belt Loop	03-538
2" Belt with Nylon Buckle	07-765
2" NOMEX® Belt with Acetal Buckle	07-765-FR

### **FLOW CONTROL**

PART #	PAGE 214
	Quick Release Tail 1/4" Male Thread
03-012-PM	(previously 4000-06)
03-042-PM	Schrader Plug to 1/4" NPT Male Thread
03-052-PM-R2	Quick Release Tail 1/4" Male Thread with RZ Fitting
03-10	Constant Flow Valve Assembly (NIOSH approved)
03-102	Constant Flow Valve Assembly (CE approved)
03-106	Constant Flow Valve - Low Pressure
03-11	Adapter 1/4" RPB® Plug to 3/8" NPT Male Thread
4000-0	Cold Air Tube Assembly (NIOSH approved)
	Cold Air Tube Assembly (CE approved,
4000-01CE	includes Temperature Shield and Swivel Connector)
4000-02-GHT	Cold Air Tube Assembly with GHT Threads
4000-03	Top Thread Cap BSP Thread (for 4000-01)
4000-03GHT	Top Thread Cap GHT Thread (for 4000-20)
4000-04	Cold Air Spinner
4000-05E	Cool Air Tube Body
4000-05F	Hot Air Tube Body
4000-07	Breaker
4000-08	Regulator Body
4000-09	Spindle and Knob
4000-10	Locking Screw
4000-1	Regulator Assembly
4000-12	Temperature Shield
4000-13	Hot Air Spinner
4000-14	Flow Reducer
4000-15	Outlet Valve
4000-16	Silencer Disc
4000-16E	Silencer Disc - Brass
4000-17	Retainer Nut

### **FLOW CONTROL** continued

PAGE 214	PART#
Outlet Valve Complete Assembly	4000-18
Outlet Valve (for 4000-40)	4000-38
Hot Air Tube Assembly (NIOSH approved)	4000-20
Hot Air Tube Assembly (CE approved)	4000-20CE
Silenced Cool Air Tube Assembly	4000-40
Flow Control Valve (NIOSH approved)	NV2016
Flow Control Valve (CE approved)	NV2016CE
Belt Complete with Buckles	NV2022
Adapter 1/2" Low Pressure Plug to 3/8" NPT Male Thread	NV2034

### **BLAST SUIT**

PAGE 224	PART#
Blast Suit size Small	07-755-S
Blast Suit size Medium	07-755-M
Blast Suit size Large	07-755-L
Blast Suit size XL	07-755-XL
Blast Suit size XXL	07-755-XXL
Blast Suit size XXXL	07-755-XXXL
Blast Suit size XXXXL	07-755-XXXXL

### **SAFETY ESSENTIALS**

PAGE 228	PART#
Do-Rag	05-613
Head Sock	05-601
Leather Blasting Gloves	07-701
Knee Pads (pair)	07-761
Safety Glasses - Clear	18-221-C
Safety Glasses - Smoked	18-221-S
Plus Safety Glasses - Clear	18-241-C
Plus Safety Glasses - Smoked	18-241-S
Ultra Safety Glasses - Clear	18-261-C
Ultra Safety Glasses - Smoked	18-261-S
S100™ Ear Plugs (200 pairs)	18-322
Earmuffs (NRR 28)	18-513

1-866-494-4599 | rpbsafety.com

f @rpbsafety @rpbsafety in search 'rpbsafety' woutube.com/rpbsafety